Research paper

IoT Working Based Solar Panel: A Review

Gaurav Kumar Rajput, Assistant Professor,

College of Computing Sciences and Information Technology, Teerthanker Mahaveer University, Moradabad,

Uttar Pradesh, India

Email Id- gauravrajput31@gmail.com

ABSTRACT: A sunlight-based framework is the device for orienting solar photovoltaic modules and solar thermal collectors toward the sun. Thinking about the state of the art of the innovation, successful strategy, robust control philosophy and the potential added benefit of different research work which can be employed on an extensive scale in maintainable manner. Presently we are entering in a new period of processing innovation i.e., Internet of things (IoT). IoT is a sort of "universal global neural network" in the cloud which associates various things. The IoT is an intelligently connected devices and framework contain brilliant machine connecting and communicate with different machines, environments, objects and infrastructures and the radio frequency identification (RFID) and sensor network technologies will rise to meet this new challenge. Furthermore, the investigation gives the different related works on IoT empowered solar panel monitoring modules for the proficient way of gain power from the solar radiation.

KEYWORDS: Internet of Things (IoT), Electricity, Solar panel, Photovoltaic (PV), Cloud.

1. INTRODUCTION

In this modern world, Electricity is also added to the most basic needs in everyone's life. The graph of energy consumption is getting increased day by day whereas the energy resources are diminishing parallel. In order to balance the scarcity for electricity, various sources are used to generate electricity. For the generation of electricity, there are two ways: one is by conventional method and other one is non- conventional method. Some of the energy carriers like fossil fuels and nuclear fuels are also used, but they are not renewable resources (i.e., they are not 'refilled' by nature) and it is said to be non-conventional. In its broadest sense, sustainable power source can be achieved by using the solar power as source. Solar energy has the wide availability throughout the world. Even The sun has produced energy for billions of years. The sun's rays may cat as an important source for the generation of electricity by converting it into a electric power. Such application is called as solar thermal energy, which is conventional.

Even though various sustainable sources are available such as wind, rain, tides and geothermal, natural based bio fuels and conventional biomass, solar power have hugebenefits.[1], [2]

Nowadays in India, frequent power cut is very common. For that it is primary to use the renewable energy and monitoring it secondarily.

The rapid growth in renewable energy applications have been empowered by a critical drop in cost over the earlier decades and specialized change in their productivity, unwavering quality and lifetime. And by means of monitoring the energy forecasting, households and communities, the productivity gets increased.

In case of India's development and economic growth, electricity plays a vital role. In energy consumption, India is the fourth biggest country after China, USA and Russia. India has an installed capacity of 278.7GW with a per capita total electricity consumption of 1,010 kWh in 2014–15.Despite a growth of 5.54% over 2013–14 and also having cheaper electricity tariffs,

Research paper

© 2012 IJFANS. All Rights Reserved, UGC CARE Listed (Group -I) Journal Volume 11, Iss 7, July 2022

the per capita consumption is low when compared to many other countries. The country accounts for around 21% of the world population with no access to electricity. The overall electrification rate in India is 64.5%, while 35.5% of the population still lives without access to electricity [3].

Internet of things means simply the network of Physical objects. This provides the connection of each and every object in the world by means of wireless sensor network. Some of the devices, buildings, vehicles and other objects embedded with software, sensors, electronics and network connectivity can enables these objects to collect and exchange data.

This IoT (Internet of Things) is achieved by wireless sensor networks, sensor networks, 2G/3G/4G, GSM, GPRS, RFID, WI-FI, GPS, microcontroller, microprocessor, etc. Empowering advancements for the Internet of Things are considered and gathered into 3 classifications. They are

- Advance that empowers "things" to accept contextual information.
- Advance that empowers "things" to process the relevant data, and
- Innovation to enhance security and protection.

Accepting the information and processing the relevant data can provide an understanding which is needed to build the "intelligence" into "things". This is the highlighted feature that differentiates IoT from standard internet.

The need for using IoT concept in this solar tracing system is to overcome the major disadvantages of electricity generation from the solar energy. The range of sun's radiation that reaches the ground surface is not in a fixed value. Because the range may vary according to location, time and climatic conditions. For that the solar panelcan be completely exposed to the sun's radiation always. And hence the solar panel can be monitored by using Internet of Things. There are several Techniques which have been studied for the solar panel tracking system by using IoT. And the analyses about few techniques are delivered as follows.

This paper uncovers two more segments. Segment II provides the detailed explanationabout the various related works in this area. Segment III reveals the conclusion and finally, references utilized as a part of this zone.

2. DISCUSSION

This literature study reveals the elaborate work on various strategies used for monitoring the solar panel position by using Internet of Things (IoT) for effective conversion of solar energy into electrical energy and automation in solar panel's position tracking.

2.1 Using Hybrid PV cells:

Design of solar power system for the supply of usable solar power through photovoltaic (PV).the design may comprises of various component, among that there are two major components used. One is the solar panels which can absorb the radiated solar energy and convert such sunlight into the electricity. The second majorcomponent is solar inverter; it is

Research paper

© 2012 IJFANS. All Rights Reserved, UGC CARE Listed (Group -I) Journal Volume 11, Iss 7, July 2022

used to alter the direct current into alternating current. Some minor components are used for mounting, cabling and also various electrical accessories.

In case of the solar tracking system having two-axis (dual -axis), the panel can be tilted front and to get the maximum absorbance of sun's rays. However this accurate tracking of the sun rays can be improved by applying MPPT (Maximum Power Pointtracing) mechanism.

Even though the panel can be architected as dual-axis, the inverter used along with it will be act much smarter to transmit and receive the information rapidly as well as share the data with user. The framework starts with solid, tough and proficientsilicon-driven equipment, which can be controlled by a versatile programming stage fusing a complex execution technique.[4]

Such framework permits installers and administration experts to analyze operational and support issues-including anticipating conceivable inverter or module issues-and remotely update certain parameters in minutes. More or less, the useful streamembraced would be

- *Use in off grid mode:* (without network) with the likelihood of connecting to a generator. The inverter must be connected to a battery bank and must have valid off grid capacities-not all Hybrid inverters accepted for off-grid applications.
- *Use in on-grid or grid-tie:* (connected to the network) with the likelihood of offering validity or abundance vitality. There is a need to have the standard protection and decoupling.
- *Use in hybrid mode:* the inverter performs with a battery bank, yet inaddition associated with the grid. This dual specialty enables energy management which is consider as a highlight of hybrid inverters (smart grid).
- *Use in Back-up mode:* or storage mode keeps power outages by changing from on-grid to off-grid mode and prevents blackouts by switching from on- grid mode to off-grid mode right now of electric blackout, subsequently disposes of network cuts.

2.2 Using Micro Grids-Dependable control

The following module incorporates photovoltaic boards (PV) used for gatheringsun's radiation and move systems with two degrees of flexibility used to control the azimuth and height of the boards. The movement can be controlled by either an inherent or a remote controller. The data communication is directed via a gateway which converts signals from Modbus Serial to Modbus TCP protocols. The gathered energy is amended and put away in two 50 kWh stream innovation batteries. By means of inverters and isolators, the AC yield is encouraged onto a isolate building micro grid, utilizing standard 3 Phase 415 VAC, that is associated with specific gadgets and power points set all through the building[5], [6].

For observing and wellbeing, Tigo frameworks are actualized to record the solar panel status. The information is then collected by algorithm implemented in an application server to break down the power use, assess the reaped energy and identifyunusual occasions. The aftereffects of this progress, from one viewpoint, give references to ideal and control modules in type of organize based application program interfaces (APIs) and, on the other hand, joined with other building information to make vitality profiles being put away in databases.[7], [8]

Research paper

© 2012 IJFANS. All Rights Reserved, UGC CARE Listed (Group -I) Journal Volume 11, Iss 7, July 2022

At the center of the framework are IoT-based controllers. They are in charge of solid control of sunlight-based trackers under circumstances of equipment disappointments and correspondence interferences. The controllers are implanted PC sheets introduced tried and true control calculations. The sheets are interconnected what's more, when joining with other handling units frame a private cloud system to control and deal with the micro grid.

The term "cloud" here suggests a deliberation of control equipment acquainted with the actuator gadgets, for example, a detachment between the solar tracker and its controller leading through institutionalizing signal arrangements and control conventions gave by means of system administrations. Therefore, an actuator gadget does not have to know which controller is controlling it or how numerous repetitive ones are utilized for unwavering quality. This deliberation consequently enables one controller to at the same time control various sunlight-b a s e d trackers and gadgets while in the meantime demonstration as a repetition for different controllers. Itlikewise permits on the web assets, for example, continuous meteorological and cosmic information to be recovered and coordinated into the framework so that a worldwide enhancement can be directed bringing about better energy gathered.

iii. Using Arduino and RPi

Strategy used in this segment is to exhibit the framework plan of the Solar Energy Monitoring System. The observing information transfer to the cloud through RPi as appeared in the Figure 1.



Research paper

© 2012 IJFANS. All Rights Reserved, UGC CARE Listed (Group -I) Journal Volume 11, Iss 7, July 2022

Figure 1: System Design

a. Arduino & Cloud Setup

Remembering the economic constraints and the effortlessness of the framework, Arduino Uno has been utilized which lessens the programming activities. Arduino sense the current and voltage esteem through Simple pins. With the assistance of these qualities, Arduino programming ascertains the power and vitality. Raspberry Pi Raspberry Pi is utilized as a part of the venture as a focal observing framework. As Raspberry pi board is a compact and minimal effort.[4], [9], [10]

3. CONCLUSION

In this investigation it has been assessed various procedures that are used for the tracing of solar panel. It can be manipulated anywhere such as house-hold activities office even in industrial purposes. The cost of the implementation of this task can be fluctuated by various methods. If the user's consideration is on cost, then the method of using Arduino in the module can be an agreeable one. For this it is also a low power consuming project. Today world is confronting intense power emergency. We require a better power system to give benefits to those people who live in remote area. And also, the efficient monitoring systems for acquiring of complete energy conversations. Under this circumstance these various types of projects can give a decent outcome when vitality emergency is a standout amongst the most fundamentalissue on the planet.

REFERENCES:

- [1] R. L. R. L. Babu, D. Rambabu, A. Rajesh Naidu, R. D. Prasad, and P. Gopi Krishna, "IoT enabled solar power monitoring system," *Int. J. Eng. Technol.*, 2018.
- [2] R. L.R. Lokesh Babu, D. Rambabu, A. Rajesh Naidu, R. D. Prasad, and P. Gopi Krishna, "Solar Power Monitoring System using IOT," *J. Eng. Technol.*, 2018.
- [3] H. S. Nalamwar, M. A. Ivanov, and S. A. Baidali, "Automated Intelligent Monitoring and the Controlling Software System for Solar Panels," in *Journal of Physics: Conference Series*, 2017.
- [4] S. Adhya, D. Saha, A. Das, J. Jana, and H. Saha, "An IoT based smart solar photovoltaic remote monitoring and control unit," in 2016 2nd International Conference on Control, Instrumentation, Energy and Communication, CIEC 2016, 2016.
- [5] L. A. S. Ferreira, H. J. Loschi, A. A. D. Rodriguez, Y. Iano, and D. A. Do Nascimento, "A solar tracking system based on local solar time integrated to photovoltaic systems," *J. Sol. Energy Eng. Trans. ASME*, 2018.
- [6] A. S. Spanias, "Solar energy management as an Internet of Things (IoT) application," in 2017 8th International Conference on Information, Intelligence, Systems and Applications, IISA 2017, 2018.
- [7] A. Kekre and S. K. Gawre, "Solar photovoltaic remote monitoring system using IOT," in *International Conference* on Recent Innovations in Signal Processing and Embedded Systems, RISE 2017, 2018.
- [8] R. I. S. Pereira, I. M. Dupont, P. C. M. Carvalho, and S. C. S. Jucá, "IoT embedded linux system based on Raspberry Pi applied to real-time cloud monitoring of a decentralized photovoltaic plant," *Meas. J. Int. Meas. Confed.*, 2018.
- [9] B. Shrihariprasath and V. Rathinasabapathy, "A smart IoT system for monitoring solar PV power conditioning unit," in IEEE WCTFTR 2016 - Proceedings of 2016 World Conference on Futuristic Trends in Research and Innovation for Social Welfare, 2016.

Research paper

© 2012 IJFANS. All Rights Reserved, UGC CARE Listed (Group -I) Journal Volume 11, Iss 7, July 2022

[10] M. Jayaprakash, D. Kavitha, M. Siva Ramkumar, K. Balacahnder, and M. Sivaram Krishnan, "Achieving efficient and secure data acquisition for cloud-supported internet of things in grid connected solar, wind and battery systems," J. Adv. Res. Dyn. Control Syst., 2018.