

IOT BASED SPEECH RECOGNITION SYSTEM TO IMPROVE THE PERFORMANCE OF EMOTION DETECTION

Dr. Nookala Venu

Professor, Department of Electronics and Communication Engineering, Balaji Institute of Technology and Science, Warangal, Telangana, India

Corresponding Author Mail id: venunookala@gmail.com

ABSTRACT:

Communicating effectively is the most important step in conveying one's thoughts and ideas to others. Speech is the most effective human communication method. The Internet of Things (IoT) is bringing increasingly intelligent systems to daily life. Wearables, UI, self-driving cars, and automated systems are examples.. Most artificial intelligence implementations are voice-based and require minimal user involvement. Because of this, these computer programmes need to be able to fully understand human speech. From a speech percept, it is possible to learn a lot about the speaker's gender, age, language, and emotional state. IoT speech recognition systems frequently include an emotion detection system to better comprehend the speaker's mood. The overall performance of the IoT application can be greatly affected by the performance of the emotion detection system in a variety of ways, and these applications can benefit greatly from this. This study presents a new system for detecting speech emotions based on emotions that improves on the current system in terms of data, extraction of features, and methodology.

Keywords: Affective computing, Emotion detection, AI, Smartkom.

1. Introduction

Speech Emotion Detection is a challenging component. Intelligent systems must mirror human actions to be termed intelligent. Humans may adapt their conversations to their own and their audience's emotions. Machine learning systems can recognise speech emotions. This paper discusses the methodology and tests used to develop a speech emotion detection method. Even though physical indicators like facial expression can help determine an individual's emotional state through the use of physiological signals like electroencephalography, blood volume pulse, and galvanic skin response, the insensitivity of physiological signals to social masking of emotions makes them preferable over physical indicators. Physical signals can be gathered using tethered laboratory sensors or wireless physiological sensors. It's a little more invasive and obtrusive than the first option, but the first one can still get the job done, and it's better than nothing. It is possible, however, to collect physiological signals in a non-invasive and non-obtrusive manner using the second option. Integrated sensor technologies have made it easy for people to quickly start using these sensors that can be worn.

There are a variety of modern-day applications for determining the emotion expressed in a speech perception. Studying how people interact with computers is known as Human-Computer Interaction (HCI) research [1-4]. The computer system must be able to recognise more than words in order to be effective in an HCI application. The IoT (IoT) field [5-7], on the other hand, is experiencing rapid growth. Many real-world Internet of Things (IoT) applications. In Internet of Things (IoT) applications [8-10], voice is critical. According to a recent study, approximately 12% of all Internet of Things (IoT) applications will be able to run entirely on voice commands by 2022. The selection of a strong emotional speech database is one of the most important aspects of a successful SER system. Identifying and utilizing the most useful features of Using machine learning techniques to create reliable classifiers. In both mono-directional and bi-directional voice interactions, understanding the speech signal is critical. IoT and HCI use AI and NLP-based apps to create smart homes and cities [11-15]. Self-driving automobiles employ voice instructions for numerous purposes. This app's ability to detect the user's mood is a big plus. In cases where the user cannot clearly articulate a spoken command, the user's tone of voice can activate emergency car features. Speech emotion recognition in call centres can divert automated voice calls to customer service reps for further discussion. Lie detectors, criminal investigation analysis, and humanoids all use speech emotion detection. The four main components of our SER system are as follows: To begin with, there is a library of voice samples. In this case, the second feature vector is formed by removing features. Following that, we tried to identify the most important characteristics of each emotion. In a machine learning classification model for recognition, these features are added. Human speech can convey many emotions. Which features to utilise in emotion detection is debatable. Recent research has retrieved energy, pitch, formant, linear prediction coefficients (LPC), mel-frequency melfrequency cepstral coefficients (MFCC), and modulation spectral characteristics. Emotional features were extracted using MFCC and modulation spectral features.

2. Literature Review

The SER has an issue extracting emotional elements. Researchers believe energy, pitch, formant frequency, LPCC, MFCC, and modulation spectral characteristics convey emotion information (MSFs). Most researchers' favour a feature set that combines emotional elements. It's possible to overfit when using a combining feature set because of the high dimensionality and redundancy of speech features, which makes it difficult for most machine learning algorithms. As a result, in order to minimise feature overlap and redundancy, careful feature selection is a must. [16-18] provides a comprehensive review of feature selection models and techniques. Using feature extraction and feature selection combined improves learning efficiency, reduces computational complexity, builds more generalizable models, and reduces storage needs. Emotion recognition ends with classification. Emotional classification is based on utterances or frames of utterances. Researchers have proposed GMM, HMM, SVM, neural networks, and RNN for speech emotion recognition (RNN) [19-22]. Researchers have developed a modified brain emotional learning model (BEL) for speech emotion identification. Multiple Kernel Gaussian Process Classification combines linear and RBF kernels. VSS uses voice signal segmentation to process textural images. Log-Gabor filters categorise voiced and unvoiced spectrum features. Classifying emotional states with machine learning. In order to classify new observations, these algorithms must first learn from the training images. There is no one-size-fits-all answer when it comes to selecting a learning

algorithm; each method has its own advantages and drawbacks. As a result, three different classifiers were used to assess their relative merits [23-26].

MLR is a simple and effective machine learning technique for regression and classification. The LRC has been adjusted [27-29]. The absolute difference between original and forecasted response vectors is an alternative to the Euclidean distance. Machine learning's optimal margin classifier is the support vector machine (SVM). In addition, it has been extensively used in a number of studies on audio emotion recognition [30]. Compared to other classifiers, it is capable of achieving a high level of classification accuracy even with limited training data. [31] Provides the theoretical background for SVM. [32] Provides a free MATLAB toolbox for implementing SVM. Data scientists and businesses all over the world rely on SVM as the most reliable machine learning algorithm. Separate classes are used to separate them in this supervised learning method, which looks for patterns within them. These features are transferred into a high-dimensional feature space that optimises their hyperplane. SVMs will be simulated using the Lib-SVM toolbox in MATLAB, which uses kernel-based techniques including polynomial kernels and radial basis function kernels.

As Cao et al. [33] wrote, "The emotions expressed by humans are mostly a consequence of mixed feelings." ([34] In order to improve the SVM algorithm, they proposed taking into account mixed signals and selecting the most dominant one. A ranking SVM classifier was used. Ranking SVM applies all personal binary classifier and SVM classifier forecasts to a final multi-class problem. With the ranked SVM algorithm, their system had a 44.40 percent accuracy rate.

Improved preprocessing technology was developed by Chen et al. (Chen et al., 2004). Fisher and Principle Component Analysis (PCA) were used in conjunction with SVM and ANN for preprocessing and classifying data. Each of the preprocessing and classifier algorithms was used in a different combination in each of the four experiments. First, the features of a multi-level SVM classifier were selected using the Fisher method (Fisher + SVM). The second experiment used PCA to lower the SVM classifier's feature dimensions [35]. The third experiment: Fisher + ANN. The data was classified using PCA before ANN [36]. Two significant findings emerged from this set of experiments. In the first place, reducing the system's dimensionality improves its efficiency. When it comes to emotion detection, the SVM classifier algorithm beats out the ANN algorithm. Fisher dimensionality reduction and SVM classification produced an accuracy of 86.50 percent in the winning experiment.

Nwe et al. [37] built a system using MFCC-like properties. A Hidden Markov Model (HMM) and Log Frequency Power Coefficients (LFPC) were used to classify speech emotions. Because they used a dataset that was only accessible to them, their research is not available to the general public. According to them, using LFPC coefficients instead of MFCC coefficients significantly increases the model's accuracy. The best classification accuracy in their model is 96%. An innovative approach was proposed by Rong et al. [38] to improve the accuracy of current models. Preprocessing techniques were traditionally used by computer scientists to reduce the number of features. This new system, on the other hand, increased the number of features used to classify. While claiming to have classified audio percepts from a small dataset, they did not reveal the features used in this process. However, neither of those features is language-dependent. Using ERFTrees with a variety of characteristics, they achieved an accuracy of 82.54 percent.

There were only two distinct emotions to categorise for his research: happy and angry. He collected data from call centres and performed binary classifications using only those two

emotions. The KNN algorithm was used in conjunction with a variety of features, including acoustic, lexical, and other language-based features. In addition, this study focused on the call centre industry and included both male and female participants. Customers of both sexes experienced accuracy increases of 40.70 percent and 36.40 percent, respectively.

3. Methodology

3.1 Data Collection

A speech signal is a constantly changing sound waveform. When a person pronounces a phoneme, they are able to alter the sound signal by manipulating their vocal tract, tongue, and teeth. Data can be quantified using the features. A better way to represent speech signals is to extract features common to all speech signals in order to get the most information possible out of them. Among the qualities of good features are:

There should be no dependencies between the features. There are a lot of correlations between the features in the feature vector. So, it's important to choose a subset of features that are different and have nothing to do with each other.

- The features should provide context-relevant information. Any further analysis should focus on emotional parts. All data samples should have the same features. It's best to avoid features that only apply to a small subset of data.
- The feature values should be processed. An unmanageable raw feature vector can result from the initial feature selection process. Remove any outliers, missing values, or null values with Feature Engineering.

3.2 Features:

3.2.1: Phonetic features

The energy, pitch, tempo, volume, formant, and intensity are all examples of prosodic features. To a large extent, phonetic characteristics have to do with how words are said in a particular language. The prosodic features, or a combination of them, are used for emotion detection purposes. The emotional content of a song is largely determined by its pitch and volume.

3.2.2: Mel Frequency Cepstrum Coefficients (MFCC) Features

MFCC is used to detect speech emotions. Here's some context: For frequency vs. pitch measurement, the word Mel stands for the frequency scale. The formula below can be used to convert a value measured on a frequency scale to a Mel scale.

$$m = 2595 \log_{10} (1 + (f/700))$$

The following equations can be used to figure out the MFCC features of a speech signal:

In the first step, you need to encapsulate the sound. Using the frame blocking method we talked about earlier, audio signals are split into 20ms to 30ms long frames that overlap by 50%.

The next logical step is to perform a mathematical calculation. The power spectrum for each frame of the signal is computed in this step. A periodogram, another name for the power spectrum, is a tool for determining the frequencies present in a video frame. Each frame's value is multiplied by a Hamming window value in order to narrow the frequency range. The periodogram is the modulus squared of the Discrete Fourier Transform modulus (DFT).

Next, the power spectra can contain a wide range of frequencies that are very close together. The signal's energy values are difficult to calculate because of the signal's frequency variations. Thus, a filter called Mel Filterbank is applied to the power spectrum in order to

scale the values. The Mel Filterbank consists of a set of triangular frequency filters. The frequencies become narrower as they approach 0Hz; as they rise higher, they become wider. Each frame's energy is the sum of the power spectrum values and the Mel Filterbank values. However, because the analysis makes use of overlapping frames, the energy values for the various frames will be in close agreement.

Finally, the energising energy must be de-correlated. Use of the DCT function is required for this task. In response to the obtained pitch and energy values, DCT generates a coefficient list. Pitch and energy changes are more consistent in the first 12 to 13 coefficients of each frame. This makes them more useful for analysis. The Mel Frequency cepstral coefficients refer to these lower-level coefficients.

3.2.3: Evaluation

Models that can learn and improve are the most important characteristics of machine learning models. Experts in machine learning evaluate the model's performance even before testing it on real data. Measuring the model's performance with evaluation metrics reveals important model parameters and yields numerical results. The confusion matrix is the most critical metric for evaluating the model.

A confusion matrix has four values used against actual and expected positive and negative classes to compute other metrics. True positives and true negatives are correct positive and negative predictions. There is two types of incorrect predictions: false positives and false negatives. The values in the confusion matrix can be used to derive four important metrics.

	Predicted Class		
Actual Class		Class =Yes	Class=No
	Class=Yes	True Positive	False Negative

Confusion Matrix

Accuracy

It is the percentage of predictions that were correct compared to the total number of predictions made. For datasets with equal class distribution, accuracy is the best way to evaluate the model's performance. The following formula can be used to determine accuracy: (True Positives + True Negatives)/ (True Positives + False Positives) = Accuracy

Precision

We want the percentage of accurately predicted positive observations. A model's precision determines its accuracy. Even if classes aren't evenly distributed, precision can work. Precision equals true positives plus false positives

Precision = true positives or (true positives + false positives)

Recall or Sensitivity

We're interested in the ratio of correctly predicted positive to all positive observations. A well-performing model has a recall score of at least 50%. Recall can work even if the classes are not evenly distributed. To put it another way, recall = True positives/(False negatives + True positives)

F1 Score

It's the average of precision and recall, divided by their respective weights. Uneven class distribution can be measured using the F1 score. F1 can be calculated as F1= 2 * (Recall * Precision) / (Recall + Precision).

4. Results

All 34 features were taken into account in this experiment. 2399 audio files were included in the data set. The implementation process is outlined in a concise manner (Fig 1).

To test the model, K-fold cross-validation divides the dataset into training and validation sets. A classifier model is constructed and its parameters are observed using one of the classification algorithms. It is not necessary to fine-tune parameter values at this time.

- The data used to train the model is called "training data."
- The trained model's accuracy is calculated by comparing it to the validation set.

Finally, the model is put through its paces and evaluated using metrics such as precision, recall, and F1 scores.

```

from sklearn.model_selection import cross_val_score
from sklearn.metrics import accuracy_score, f1_score, precision_score, recall_score, classification_report, confusion_matrix
from sklearn.svm import SVC

#splitting the data into 70% training and 30% testing
X_train, X_test, y_train, y_test = train_test_split(x, y, test_size=0.3, random_state=0)

#creating the SVM model
clf_svm = SVC(kernel='linear', C=1)

#training the model
clf_svm.fit(X_train, y_train)

#Accuracy score for the model
scores = cross_val_score(clf_svm, x, y, cv=5)
print ("SVM")
print("Accuracy: %0.2f (+/- %0.2f)" % (scores.mean(), scores.std() * 2))

#Testing the model
y_pred = clf_svm.predict(X_test)

#Evaluation metrics - Precision, Recall and F1 scores
print("F1:",round(f1_score(y_test, y_pred, average="macro"),2))
print("Precision:",round(precision_score(y_test, y_pred, average="macro"),2))
print("Recall:",round(recall_score(y_test, y_pred, average="macro"),2))

SVM
Accuracy: 0.84 (+/- 0.03)
F1: 0.83
Precision: 0.83
Recall: 0.84

```

Fig.1: Code for the implementation

Researchers carried out the same experiment repeatedly with a variety of classification algorithms, and then compared their findings (see Table 2). The accuracy scores were higher than expected. An average of 75% of the students received high marks for their work. The F1 score is the arithmetic mean of precision and recall. SVM's F1 score of 83% makes it a successful algorithm. Tree-based algorithms have been improved. The decision tree classifier improved from 70%+ to 77%+ using Random Forest and Gradient Decent. 80% accuracy using logistic regression. Other metrics average 70%. Nave Bayes and KNN both score 74%+. Algorithm-generated results

Table 1: Comparison of Results

Algorithm	Result
SVM	84% (+/- 0.03)
Decision Tree	74% (+/- 0.03)
KVN	82% (+/- 0.05)
Logistic Regression	80% (+/- 0.03)
Random Forest	78% (+/- 0.03)
Gaussian Naïve Bayees	76% (+/- 0.05)
Gradient Boosting Trees	80% (+/- 0.03)

Each implementation strategy had a different effect on the various algorithms. The F1 scores can be used to compare accuracy, which is not always a good indicator of a model's quality. Analyzing and contrasting the F1 results from each method yielded some insightful findings. Classifiers such as SVM, KNN, and Logistic Regression perform poorly in the second approach but better in the third approach than in the first. Few tree-based classifiers performed well for the first approach but poorly overall. KNN's performance was constant.




Fig.2: Classification Report Results

5. Conclusion

The new era of automation has begun as a result of the increasing growth and development in the fields of AI and machine learning. In most cases, a user's voice commands are used to control these automated devices. If machines could understand the speaker's emotions as well as their words, they would have a significant advantage over current systems (users). Automated call centre conversations, diagnostic tools for therapy, and an automatic translation system are just some of the uses of a speech emotion detection system. Emotion

detection systems can be developed using the steps discussed in this paper, and The impact of each step on the final product was tested. Because of the small number of publicly available speech databases, training a well-trained model proved difficult at first. It was then necessary to conduct a large number of experiments in order to select the best method for extracting features. This was followed by learning about the strengths and weaknesses of every classifying algorithm in terms of recognising emotions. Compared to a single feature, the integrated feature space produced a higher recognition rate at the end of the experiment. The proposed project's efficiency, accuracy, and usability can all be improved in the future. Additionally, the model is capable of detecting mood swings and depressive symptoms. Therapists can use these systems to keep track of their patients' mood swings. Adding a sarcasm detection system to a machine that has emotions is a difficult task. In comparison to other types of emotion detection, sarcasm detection is more difficult because it cannot be determined solely by the speaker's words or tone. Detecting sarcasm in speech can be made easier with the help of sentiment detection that makes use of vocabulary. A speech-based emotion recognition system could be used in a wide variety of ways in the future.

References

- [1] Nookala Venu, S. K. (2022). Machine Learning Application for Medicine Distribution Management System. IJFANS, 11 (1), 2323-2330.
- [2] Nookala Venu, S. W. (2022). A Wearable Medicines Recognition System using Deep Learning for People with Visual Impairment. IJFANS, 12 (1), 2340-2348.
- [3] Dr. Nookala, Venu and Soujanya, Namoju and Goud, Burra Megamala and Bhavani, Thakur Yuktha and Rajashekar, Appidi, Study and Experimental Analysis on FBMC and OFDM (July 2022). International Journal from Innovative Engineering and Management Research (IJIEMR), Available at SSRN: <https://ssrn.com/abstract=4232096>.
- [4] rani B, Sandhya and Katti, Sai Krishna and Ananthula, Amrutha and Dr. Nookala, Venu, Vehicle Fuel Level Monitor and Locate the Nearest Petrol Pumps Using IoT (July 2022). International Journal from Innovative Engineering and Management Research 2022, <https://ssrn.com/abstract=4232110>.
- [5] A, Krishnaveni and Priya R, Shiva and U, Supriya and Tahseen, Anjum and Dr. Nookala, Venu, Face Mask Detection System Using Python Open CV (July 2022). International Journal from Innovative Engineering and Management Research 2022, <https://ssrn.com/abstract=4232083>.
- [6] Dr. Nookala, Venu and M, Vamshi and V, Akhil and K, Deepika and K, Prashanth and M, Raffiudhin, Alcohol Detection and Engine Locking System (July 2022). International Journal from Innovative Engineering and Management Research 2022, <https://ssrn.com/abstract=4232102>.
- [7] Dr. Nookala, Venu and Rakesh, Govindu and Maneesha, Kunta and Anusha, Kusumba and Merugu, Samantha and Mohammad, Abbas, Smart Road Safety and Vehicle Accidents Prevention System for Mountain Road (July 2022). International Journal from Innovative Engineering and Management Research 2022, <https://ssrn.com/abstract=4232104>.

- [8] Dr. Nookala, Venu and Bindu, Chevulapelli and Srija, Bethi and Maheshwari, Vemula and Sarvu, Saiteja and Rohith, Sadula, Wireless Night Vision Camera on War Spying Robot (July 2022). International Journal from Innovative Engineering and Management Research 2022, <https://ssrn.com/abstract=4232100>.
- [9] Karne, RadhaKrishna and Mounika, S. and V, KarthikKumar and Dr. Nookala, Venu, Applications of IoT on Intrusion Detection System with Deep Learning Analysis (July 2022). International Journal from Innovative Engineering and Management Research 2022, <https://ssrn.com/abstract=4232107>.
- [10] Sandhya rani B, D. V. (2022, 07). IOT Based Smart Irrigation System Using Node MCU. IJIEMR , 100-106.
- [11] Annapareddy V N Reddy. ArunKumar, N. V. (2022). On optimization efficiency of scalability and availability of cloud-based software services using scale rate limiting algorithm. Measurement: Sensors , 24, 1-13.
- [12] Nookala Venu, D., Kumar, A., & Rao, M. A. S. (2022). Internet Of Things Based Pulse Oximeter For Health Monitoring System. NeuroQuantology, 20(5), 5056-5066.
- [13] Nookala Venu, D., Kumar, A., & Rao, M. A. S. (2022). Botnet Attacks Detection in Internet of Things Using Machine Learning. NeuroQuantology, 20(4), 743-754.
- [14] Nookala Venu, D., Kumar, A., & Rao, M. A. S. (2022). Smart Agriculture with Internet of Things and Unmanned Aerial Vehicles. NeuroQuantology, 20(6), 9904-9914.
- [15] Dr. N. Venu, D. A. (2021). Comparison of Traditional Method with watershed threshold segmentation Technique. The International journal of analytical and experimental modal analysis , XIII (I), 181-187.
- [16] Nookala Venu, A. S. (2018). Local mesh patterns for medical image segmentation. Asian Pacific Journal of Health Sciences, 5 (1), 123-127.
- [17] Local Maximum Edge Binary Patterns for Medical Image Segmentation. International Journal of Engineering and Techniques, 4 (1), 504-509.
- [18] N. Venu, "Performance and evaluation of Guassian kernals for FCM algorithm with mean filtering based denoising for MRI segmentation," 2014 International Conference on Communication and Signal Processing, 2014, pp. 1680-1685, doi: 10.1109/ICCSP.2014.6950134.
- [19] N. Venu and B. Anuradha, "Integration of hyperbolic tangent and Gaussian kernels for Fuzzy C-means algorithm with spatial information for MRI segmentation," 2013 Fifth International Conference on Advanced Computing (ICoAC), 2013, pp. 280-285, doi: 10.1109/ICoAC.2013.6921964.
- [20] Venu, N., & Anuradha, B. (2015). Multi-Kernels Integration for FCM Algorithm for Medical Image Segmentation using Histogram Analysis. Indian Journal of Science and Technology, 8(34), 1-8.

- [21] Venu, N. Design and intergration of different kernels for fuzzy means algorithm used for MRI medical image segmentation.
- [22] Venu, N., & Anuradha, B. (2013). PSNR Based Fuzzy Clustering Algorithms for MRI Medical Image Segmentation. *International Journal of Image Processing and Visual Communication*, 2(2), 01-07.
- [23] Two different multi-kernels for fuzzy C-means algorithm for medical image segmentation. *Int. J. Eng. Trends Technol.(IJETT)*, 20, 77-82.
- [24] Venu, N., & Anuradha, B. (2015). Medical Image Segmentation Using Kernal Based Fuzzy C Means Algorithm. *Research Scholar, Dept. of ECE, SVU College of Engineering, Sri Venkateswara University, Tirupati-517502, India*, 4(1).
- [25] Venu, D., Rakesh, G., Maneesha, K., Anusha, K., Merugu, S., & Mohammad, A. (2022). Smart Road Safety and Vehicle Accidents Prevention System for Mountain Road. *International Journal from Innovative Engineering and Management Research (IJIEMR)*.
- [26] Venu, N., & Anuradha, B. (2014, February). Multi-Hyperbolic Tangent Fuzzy C-means Algorithm for MRI Segmentation. In *Proceedings of International Conference on Advances in Communication, Network and Computing (CNC-2014)*, Elsevier (pp. 22-24).
- [27] Agarwal, R. K., Sahasrabuddhe, D., & Riyajuddin, A. A Novel Dates Palm Processing and Packaging Management System based on IoT and Deep Learning Approaches.
- [28] Venu, D., Arun Kumar, A., & Vaigandla, K. K. (2022). Review of Internet of Things (IoT) for Future Generation Wireless Communications. *International Journal for Modern Trends in Science and Technology*, 8(03), 01-08.
- [29] Venu, D. N. Dr. A. ArunKumar, Karthik Kumar Vaigandla, " Investigation on Internet of Things (IoT): Technologies, Challenges and Applications in Healthcare,". *International Journal of Research*, 11, 143-153.
- [30] Vaigandla, K. K., & Venu, D. (2021). Survey on Massive MIMO: Technology, Challenges, Opportunities and Benefits.
- [31] Kesavaiah, D. C., Goud, T. R., Rao, Y. S., & Venu, N. (2019). Radiation Effect To MHD Oscillatory Flow in A Channel Filled Through a Porous Medium With Heat Generation. *Journal of Mathematical Control Science and Applications*, 5(2).
- [32] Venu, D. N. Analysis of Xtrinsic Sense MEMS Sensors. *International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering (IJAREEIE)*, ISSN, 2278-8875.
- [33] Sujith, A. V. L. N., Swathi, R., Venkatasubramanian, R., Venu, N., Hemalatha, S., George, T., & Osman, S. M. (2022). Integrating nanomaterial and high-performance fuzzy-based machine learning approach for green energy conversion. *Journal of Nanomaterials*, 2022.

- [34] Venu, N., Yuvaraj, D., Barnabas Paul Gladly, J., Pattnaik, O., Singh, G., Singh, M., & Adigo, A. G. (2022). Execution of Multitarget Node Selection Scheme for Target Position Alteration Monitoring in MANET. *Wireless Communications and Mobile Computing*, 2022.
- [35] Venu, N., Swathi, R., Sarangi, S. K., Subashini, V., Arulkumar, D., Ralhan, S., & Debtera, B. (2022). Optimization of Hello Message Broadcasting Prediction Model for Stability Analysis. *Wireless Communications & Mobile Computing*.
- [36] Venu, N., Revanesh, M., Supriya, M., Talawar, M. B., Asha, A., Isaac, L. D., & Ferede, A. W. (2022). Energy Auditing and Broken Path Identification for Routing in Large-Scale Mobile Networks Using Machine Learning. *Wireless Communications and Mobile Computing*, 2022.
- [37] Thouti, S., Venu, N., Rinku, D. R., Arora, A., & Rajeswaran, N. (2022). Investigation on identify the multiple issues in IoT devices using Convolutional Neural Network. *Measurement: Sensors*, 24, 100509.
- [38] Vaigandla, K. K., & Venu, D. N. (2021). A survey on future generation wireless communications-5G: multiple access techniques, physical layer security, beamforming approach. *Journal of Information and Computational Science*, 11(9), 449-474.