RESEARCH PAPER

ISSN PRINT 2319 1775 Online 2320 7876

© 2012 LIFANS. ALL RIGHTS RESERVED, UGC CARE LISTED (GROUP -I) JOURNAL VOLUME 10, ISS 1, 2021

Increasing Energy Yields with a Novel Adaptive Topology for Photovoltaic Arrays under Partial Shadings

Dr.G.Meerimatha

¹Department of Electrical and Electronics Engineering, Koneru Lakshmaiah Education Foundation, Vaddeswaram, Guntur, Andhra Pradesh, India 522502. gmeerimatha2k9@gmail.com

Abstract.

In order to decrease mismatch loss and boost energy output under partial shadowing (PS), this research suggested a new adaptive reconfiguration method for total-cross-tied (TCT) PV arrays using MATLAB-SIMULINK. In order to maintain equal currents in each row based on shading conditions, the electrical connections between PV modules are changed during this work with the aid of a proposed pattern search algorithm, boosting the current of the array. The suggested algorithm divides the potential number of connections between PV arrays for adaptive systems into categories and selects the best connection between them, tested under various shading scenarios. As opposed to current reconfiguration techniques, this proposed method compares the global maximum power point (GMPP),

INTRODUCTION

Renewable Energy Source (RES) integration significantlyalters the period of conventional power systems by improving power generation efficiency and fulfilling global demand [1]. Photovoltaic (PV) energy installs quickly among the RES and produces enough energy in a short time [2]. In addition, the cost of PV material is reduced on a daily basis compared to other renewables [3].

PHOTOVOLTAIC (PV) MODELING

A PV model is essentially a semiconductor material whose p-n junction is exposed to the sunlight. Photovoltaic cells consist of [4]



ISSN PRINT 2319 1775 Online 2320 7876 RESEARCH PAPER © 2012 IJFANS. ALL RIGHTS RESERVED, UGC CARE LISTED (GROUP -I) JOURNAL VOLUME 10, ISS 1, 2021



a) I-V curve, (b) P-V curve of 5×4 PV array at b) various Irradiance levels.

TCT PV array Modelling



TCT connection is a combination of parallel-connected PV modulesas a row and series-connected rows referred toas a string[5]

RESEARCH PAPER

ISSN PRINT 2319 1775 Online 2320 7876 © 2012 LIFANS. ALL RIGHTS RESERVED, UGC CARE LISTED (GROUP -1) JOURNAL VOLUME 10, ISS 1, 2021

(a) I-V curve, (b) P-V curve of 5×4 PV array atvarious temperature levels.

PROPOSED ADAPTIVE SYSTEM

The formation of the proposed system is explained in [6].



TCT PV array Interconnection.

The principal of the proposed method is the forming of

array rows using the modules whose insolation levels are similar[7] to each other Adaptive Reconfiguration



Structure

PATTERN SEARCH ALGORITHM

A pattern search algorithm is proposed in this paper to construct the rows of PV modules whose solar insolation levels [8]in the TCT array are far closer with the help of electrical switching.



RESEARCH PAPER

ISSN PRINT 2319 1775 Online 2320 7876

© 2012 IJFANS. ALL RIGHTS RESERVED, UGC CARE LISTED (GROUP -I) JOURNAL VOLUME 10, ISS 1, 2021



Switching Matirx for reconfiguration Flowchart of the proposed algorithm



ISSN PRINT 2319 1775 Online 2320 7876

© 2012 IJFANS. ALL RIGHTS RESERVED, UGC CARE LISTED (GROUP -I) JOURNAL VOLUME 10, ISS 1, 2021

RESULTS AND DISCUSSIONS



Shadings: (a) Row shading, (b) Column shading, and



Performance characteristics for Row-wise shading.



Performance of Column Shading

ISSN PRINT 2319 1775 Online 2320 7876 **RESEARCH PAPER** © 2012 IJFANS. ALL RIGHTS RESERVED, UGC CARE LISTED (GROUP-I) JOURNAL VOLUME 10, ISS 1, 2021

(a) I-V characteristics

(b) P-V characteristics

Performance of Diagonal Shading



(a) I-V characteristics





(b)

COMPREHENSIVE STUDY ON CURRENT RECONFIGURATION METHODS



350 | P a g e

ISSN PRINT 2319 1775 Online 2320 7876

PAPER © 2012 LIFANS. ALL RIGHTS RESERVED, UGC CARE LISTED (GROUP -1) JOURNAL VOLUME 10, ISS 1, 2021



CONCLUSION

In order to increase power production when partial shading and mismatch loss are present, this article proposed an adaptive reconfiguration system.

The 3x3 TCT array is used to implement this method, and standard shading conditions like ro w, column, and diagonal are used to validate it.Additionally, using the global power output, s hadow loss, and fillfactor values that were collected, this adaptive technique is numerically c ompared with the magicsquare method., the suggested adaptive method improved the average fillfactor and power output by 7.2% and 9.6%, respectively, under partial shadings.

© 2012 LIFANS. ALL RIGHTS RESERVED, UGC CARE LISTED (GROUP -I) JOURNAL VOLUME 10, 15S 1, 2021

ISSN PRINT 2319 1775 Online 2320 7876

RESEARCH PAPER

REFERENCES

- L. L. Li, G. Q. Lin, M. L. Tseng, K. Tan, M. K. Lim, "a maximum power point tracking method for PV system with improved gravitational search algorithm", Applied Soft Computing, vol. 65, pp. 333-348, 2018.
- [2] G. Meerimatha, and B. L. Rao, "Novel reconfiguration approach to reduce line losses of the photovoltaic array under various shading conditions", Energy, vol.196, pp.117120, 2020.
- [3] M. A. Sameh, M. A. Badr, M. I. Mare, M. A. Attia, "Enhancing the Performance of Photovoltaic Systemsunder Partial Shading Conditions Using Cuttlefish Algorithm", In 2019 8th International Conference on Renewable Energy Research and Applications (ICRERA), pp.874-885, November 2019.
- [4] F. L. Villa, D. Picault, B. Raison, S. Bacha, and A. Labonne, "Maximizing the power output of partially shaded photovoltaic plants through optimization of the interconnections among its modules", IEEE Journal of Photovoltaics, Vol. 2, No. 2, pp. 154-163, 2012.
- [5] S. R. Pendem, and S. Mikkili, "Modelling, Simulation and Performance analysis of solar PV array configurations (series Y. Tomita, Y. Nagai, M. Saito, N. Niina, and Y. Zushi, "Stable Operation of an Automotive Photovoltaic System under Moving Shadows", In 2019 8th International Conference on Renewable Energy Research and Applications (ICRERA), pp. 527-533. November 2019.
- [6] O. Mesbahi, M. Tlemçani, F. M. Janeiro, A. Hajjaji, and K. Kandoussi, "A Modified Nelder-Mead Algorithmfor Photovoltaic Parameters Identification", International Journal of Smart Grid (ijSmartGrid), Vol. 4, No. 1, pp. 28-37, 2020.
- [7] S. Kannu, S. Mary, R. Namani, and S. K.Subramanian, "Power enhancement of partially shaded PV arrays through shade dispersion using magic square configuration", Journal of Renewable and Sustainable Energy, Vol.4, No.6, pp. 236-242, 2016.
- [8] Solis, T. Oka, J. Ericsson, and M. Nilsson, "Forecasting of Electric Energy Consumption for Housing Cooperative with a Grid Connected PV System", In 2019 7th International Conference on Smart Grid (icSmartGrid), pp. 118-125, December 2019.